







Model N42

42" Full 1080P High-Definition Weatherproof LCD

Specifications

Panel Type	42" Landscape LCD Screen
Body Outside Dimension (without stand)	42.6"(W)26.6"(H)4.5"(D)
Wall Mount Dimension	600mm x 400mm x M5-10mm
View Angle L/R U/D	88°/88° 88°/88°
Brightness	700cd/m ²
Contrast Ratio	1500 : 1
Resolution	1920 * 1080
Picture Aspect Ratio	16 : 9
Response Time	5 ms (Gray to Gray)
Window Glass	Optic coated Tempered Safety 3mm
Body Color	Smoke Black
Built-in Speaker	10W x 2
Video Input and Output Connection	
Digital Tuner System	NTSC+ATSC
HDMI x 2	480i/480p/576i/576p/720p/1080i/1080p
Component RCA x 5	480i/480p/576i/576p/720p/1080i/1080p
Composite RCA x 3	480i
S-Video x1	SY 1.0Vpp + SC 0.3Vpp
PC-Input D-SUB 15pin	1280x1024-75hz / 1366x768-60hz / 1920x1080-60hz / 1920x1200-60hz
Digital Audio out	SPDIF Coaxial or Fiber-optic
Speaker Out	10 W x 2 8ohm
RS-232 Control	D-SUB-9 pin
Inside IR Sensor	Yes
IR Repeat Sender Wire w/ IR Eye(Optional)	(by order)
Auto-adjust Backlight	Yes
Other Parts Spec.	
Optional Wall Mount Kit and Stand	WR-3015
Remote Control	WR450-A
Waterproof Rating	IP65
Direct with Sunlight	No
Cooling System	Yes
Ac Power Input	AC 85V ~ AC 240V 50~60Hz
Operation Temperature	14 F - 122 F
Storage Temperature	-4 F - 176 F
Packaging Dimensions	50" x 35" x 10.5"
Body Weight N.W./G.W.	66 Lbs / 88 Lbs



Key Features

- *Powder Coated Aluminum endures rain, snow, humidity, dry heat, and almost any weather condition imaginable.
- *Full 1080p High Definition
- *Ultra bright panels coupled with anti-reflective tempered glass for safety and easy daytime viewing.
- *Marine speakers capable of handling rain, snow, dust, etc.
- *Thermostat controlled internal cooling system
- *Specially coated internal components to protect from moisture
- *IR Discrete, IR Repeater, RS-232 controllable
- *Waterproof Remote Control

714.702.5966

*Specifications may be subject to change

www.toshinaer.com

15841 Chemical Lane, Huntington Beach, CA 92649